

Resonating Healing: The Therapeutic Impact of Indian Classical Music on Youth

Dr. Ashok Kumar Arya (Assistant Professor)

Dr. Gagandeep Hothi (Convener & Head, Department of Music)

Priyanka Rawat (Research Scholar) | Manoj Singh Mehra (Field Investigator)

Department of Music, D.S.B. Campus, Kumaun University,

Nainital, Uttarakhand, India

Email: kumarashok93@gmail.com

Acknowledgment

I express my sincere gratitude to the *Indian Council of Social Science Research (I.C.S.S.R), New Delhi* for awarding me the research grant that enabled me to undertake this study. Their generous financial support and encouragement have been instrumental in the successful completion of this research. I also extend my heartfelt appreciation to my mentors, colleagues and institutions for their guidance and constructive feedback. The resources and assistance provided have significantly contributed to the depth and quality of my work. I remain deeply grateful for this opportunity to contribute to the field of social science research.

Abstract

Indian Classical Music, celebrated for its rich heritage and profound essence, is much more than just an art form. Deeply rooted in ancient Indian philosophy, it acts as a holistic pathway to emotional, mental and spiritual well-being. This research explores its therapeutic effects on young individuals, focusing on its potential to reduce stress, build emotional resilience and enhance mental health. Through a mixed-methods study involving 276 participants aged 10 to 30, notable reductions in stress and improvements in mood and relaxation were observed after four structured music therapy sessions. The findings highlight the cultural significance and accessibility of Indian Classical Music as an affordable, non-invasive solution for addressing mental health challenges amongst youth.

Key words: Indian Classical Music, Mental health, Music Therapy, Youth well-being, Healing.

Introduction:

Indian Classical Music, renowned for its rich tradition and profound depth, has long been celebrated as more than an art form. Rooted in ancient Indian philosophy, it transcends geographical and cultural boundaries to emerge as a holistic medium for emotional, mental and

spiritual well-being. The intricate melodies (ragas) and rhythmic patterns (talas) hold immense therapeutic potential, evoking specific emotions, stimulating relaxation and fostering tranquility. This study focuses on the therapeutic impact of Indian Classical Music on youth, exploring its capacity to alleviate stress, promote emotional resilience and contribute to mental well-being.

The youth of today, facing heightened stress and emotional turbulence from academic, social and personal pressures, are particularly vulnerable to mental health challenges. Indian Classical Music provides a natural and non-invasive alternative for fostering balance and clarity, with its therapeutic power lying in its ability to harmonize the mind and body. This study involved 276 participants, including 188 females and 88 males, particularly highlighting the openness of individuals aged 10–20 years to embracing this healing modality.

Key findings illustrate how music therapy using Indian Classical ragas enhances focus, reduces stress and improves sleep patterns. Participants reported experiencing profound relaxation and emotional transformation during the sessions. Over four therapy sessions, stress levels dropped to zero, while positive mood and relaxation steadily increased. Visual data trends also revealed a significant rise in participant satisfaction, with over 95% expressing interest in continuing therapy. These results underscore the accessibility and inclusivity of Indian Classical Music as a therapeutic tool. Unlike clinical interventions, which may be costly or stigmatized, music therapy offers a culturally resonant and cost-effective approach to mental health.

In addition to alleviating stress, Indian Classical Music fosters self-awareness, emotional regulation and inner harmony. It connects deeply with the human psyche, providing a constructive outlet for emotions and promoting resilience. This exploration of music's impact on youth demonstrates its profound potential as a healing modality. By incorporating Indian Classical Music into contemporary therapeutic practices, we can address the mental health challenges of modern youth in a culturally relevant and effective manner.

This study affirms that Indian Classical Music is not merely an auditory delight but a profound and transformative tool for healing. Its universal appeal bridges gaps across demographic and cultural divides, making it a versatile and powerful medium for promoting mental wellness in today's world.

Research Design and Methodology:

To explore the therapeutic impact of Indian Classical Music on youth, a structured, mixed-methods approach was adopted. This methodology ensured a comprehensive analysis of the healing properties of music by integrating quantitative and qualitative data collection techniques.

Study Participants

The study included a diverse cohort of 276 participants, comprising 188 females and 88 males, distributed across the following age groups:

Age Group (Years)	Females	Males	Total Participants
10-20	121	45	166
20-30	34	15	49
30-40	15	19	34
40- Above	13	09	22
Total	188	88	276

The focus was placed on the younger population (10–30 years), reflecting their heightened vulnerability to stress and emotional turbulence while capturing their receptiveness to music therapy.

Details of participant distribution across various categories:

Category	Count (Number of Participants)
Unmarried	229
Married	47
Female Rural	64
Female Urban	124
Male Rural	44
Male Urban	39
Below High school	20
High school	56
Intermediate	85
Graduate	79
Post Graduate	11
Doctorate	5
Researcher	5
Others	15

The data represents a comprehensive demographic distribution of the 276 participants in the study. A majority of participants (83%) were unmarried (229), while only 17% (47) were married, emphasizing a focus on youth and young adults. Gender-wise females outnumbered males significantly with 64 females from rural areas and 124 from urban areas, compared to 44 rural males and 39 urban males. In terms of educational qualifications, the largest group of participants had completed an intermediate level of education (85) followed by graduates (79) and high school-educated individuals (56). Participants with postgraduate qualifications (11), doctorate degrees (5) or those identified as researchers (5) formed a smaller percentage. Additionally, 20 participants had education levels below high school, while 15 belonged to the "other" category which might include non-traditional or vocational education backgrounds. This demographic breakdown reveals a broad representation across educational levels, gender and

geographic (rural vs urban) distribution. The study's participant pool reflects a balanced mix of backgrounds, enabling insights into the diverse perspectives and potential impacts of Indian Classical Music therapy on various groups. The emphasis on youth and intermediate-to-graduate education levels aligns with the study's focus on understanding music's psychological effects on the younger population.

Music Therapy Sessions:

Participants underwent a series of four music therapy sessions, each lasting 30 minutes, in a controlled environment to minimize distractions and external influences. The sessions featured live or recorded performances of Hindustani Classical Instrumental and Vocal Music, with selected ragas known for their calming and therapeutic properties. The curated repertoire aimed to evoke specific emotional responses and foster relaxation, mental clarity and stress relief.

Data Collection:

A combination of quantitative and qualitative methods was used to gather data:

1. Quantitative Data: Pre- and post-session questionnaires were designed to measure changes in:

- Stress levels
- Mood states
- Relaxation effects
- Sleep patterns

2. Qualitative Data:

- Open-ended interviews and feedback sessions allowed participants to share their personal experiences and perceived benefit's.
- These insights enriched the understanding of the subjective emotional and psychological impact of Indian Classical Music.

Data Analysis –

Picture- 1



The visualizations represent key insights from the collected data before musical session:

1. **Musical Experience/Training:** A pie chart shows the distribution of musical experience among participants. Half of the participants had no formal training, while 30% had formal training and 20% possessed basic knowledge.
2. **Stress/Anxiety Levels:** A line chart tracks the progression of stress levels and mood ratings across different questions; which the participants were asked in order to assess the individual’s mental health status and emotional well-being; before the musical session. Stress levels increased significantly from Question No 1 to Question No 4, indicating consistent stress among participants.
3. **Average Sleep Hours:** A bar chart displays sleep patterns. Most participants slept between 4-6 hours or 6-8 hours per night, while very few slept less than 4 hours or more than 8 hours.

The collected data were systematically analyzed to identify trends and patterns:

- Quantitative Analysis: Stress reduction, emotional well-being and mood changes were evaluated by comparing pre- and post-session scores.

- Qualitative Analysis: Participants' feedback was categorized to highlight recurring themes, such as feelings of calmness, improved focus and emotional regulation.

Key Observations:

- The majority of participants reported a significant reduction in stress, with stress levels dropping to zero by the fourth session.
- Positive mood ratings increased steadily, with 83% of participants rating the therapy as highly effective by the final session.
- Over 95% of participants expressed interest in continuing music therapy, indicating it's sustained appeal and perceived value.

Significance of the Approach:

The mixed-methods design allowed for a multidimensional understanding of the therapeutic impact of Indian Classical Music, combining the reliability of quantitative measures with the depth of qualitative insights. This methodology validated the versatility and accessibility of music therapy as a culturally relevant and effective tool for addressing mental health challenges among youth.

The methodology of this study was designed to investigate the therapeutic impact of Indian Classical Music on youth, focusing on its healing properties. A mixed-methods approach was adopted, combining quantitative and qualitative data collection to ensure a comprehensive understanding of the subject. The main emphasis of the study was on the younger age groups, particularly youth aged 10–30, to explore their response to Indian Classical Music therapy. Participants underwent sessions of Indian Classical Music therapy involving selected ragas known for their calming and therapeutic effects. The sessions were conducted in a controlled environment, ensuring minimal external distractions. Each session lasted 30 minutes and included live or recorded performances of Hindustani Classical Instrumental and Vocal Music. Quantitative data were collected through pre- and post-session questionnaires focusing on stress levels, mood changes and relaxation. Additionally, qualitative data were gathered through interviews and open-ended feedback, allowing participants to describe their experiences and perceived benefit's. The data were analyzed to identify patterns and trends in psychological changes before and after the sessions. The focus was on evaluating stress reduction, emotional well-being and overall mental clarity. This structured methodology ensured reliable results, highlighting the healing potential of Indian Classical Music among the youth population.

Data Collection: Quantitative data were collected through pre and post-session questionnaires focusing on stress levels, mood changes and relaxation. Additionally, qualitative data were gathered through interviews and open-ended feedback, allowing participants to describe their experiences and perceived benefit's

Data collection after the Music Sessions: Mood Trends across the sessions

Table: 2 - Participant Feedback on Mood during Sessions

<i>Sessions</i>	<i>Calmness</i>	<i>Relaxation</i>	<i>Sleep</i>	<i>Stress</i>	<i>None of the above</i>	<i>Total Participant</i>
First Session	72	70	356	6	20	203
second Session	83	69	13	3	6	203
Third Session	62	90	29	2	10	193
Fourth Session	42	129	6	0	16	193

The data reflects participants' emotional and physical responses across four music therapy sessions. In the first session, 72 participants reported calmness, 70 experienced relaxation and 6 indicated stress with 20 participants showing no specific effect. By the second session, calmness increased to 83 and stress reduced to 3, indicating a positive trend. The third session saw relaxation peak at 90 participants while stress further declined to 2. Sleep responses varied with a significant drop to 6 in the fourth session showing a stabilization of relaxation and wakefulness effects. By the final session calmness decreased to 42 but relaxation rose sharply to 129 reflecting music's impact in promoting relaxation. Stress levels dropped to zero in the fourth session, showcasing the therapy's stress-alleviating potential. Throughout, participants showing no specific effects decreased, highlighting the therapy's growing influence on emotional and physical well-being. The total participants remained consistent, emphasizing stable engagement.

Table: 3 - Mood Changes After Sessions (Based on Ratings)

<i>Rating</i>	<i>First Session</i>	<i>Second Session</i>	<i>Third Session</i>	<i>Fourth Session</i>
Minimal Effect (1, 2)	54	21	16	02
Moderate Effect (3)	68	68	44	31
Positive Effect (4, 5)	81	114	119	160

The ratings across sessions reveal a consistent improvement in participants' experiences with music therapy. Minimal effects (ratings 1 and 2) sharply decreased from 54 in the first session to just 2 by the fourth session, indicating reduced dissatisfaction. Moderate effects (rating 3) remained stable initially at 68 but gradually declined to 31 in the fourth session as more

participants shifted to higher ratings. Positive effects (ratings 4 and 5) showed a substantial increase, rising from 81 in the first session to 160 in the fourth session, signifying enhanced satisfaction and effectiveness of the therapy over time.

Table 4: Participant Feedback on Session Effectiveness

Rating	First Session	Second Session	Third Session	Fourth Session
Minimal Effect (1, 2)	54 (27%)	17 (8%)	16 (8%)	2 (1%)
Moderate Effect (3)	60 (30%)	61 (30%)	39 (20%)	30 (15%)
Positive Effect (4, 5)	89 (43%)	125 (62%)	138 (72%)	161 (83%)

The data shows a clear progression in participants' perceived effectiveness of music therapy sessions. Minimal effects (ratings 1 and 2) drastically declined from 27% in the first session to just 1% in the fourth session, reflecting a significant reduction in dissatisfaction. Moderate effects (rating 3) started at 30% and gradually reduced to 15% by the fourth session as participants transitioned to higher ratings. Positive effects (ratings 4 and 5) increased steadily from 43% in the first session to 83% in the fourth session, demonstrating a growing appreciation and effectiveness of the sessions in enhancing participants' experiences.

Table 4: Participants Interested in Continuing Sessions

Response	First Session	First Session	First Session	First Session
Yes	190	196	190	191
No	7	5	3	2

Throughout the sessions, participants overwhelmingly responded positively to continuing music



therapy. Starting with 190 "Yes" responses in the first session, the number increased to 196 in subsequent sessions, showing growing interest. Negative responses consistently declined, dropping from 7 in the first session to just 2 by the fourth session.

The images display comprehensive insights into participants' responses and feedback trends across music therapy sessions, demonstrating its impact on mood, effectiveness and participant engagement.

Picture-2: Mood Trends across Sessions-

This line graph highlights trends in mood effects across four sessions. Calmness and relaxation were predominant, with relaxation peaking in the fourth session (129 participants). Stress levels steadily decreased, reaching zero by the final session, while the “None of the above” responses slightly increased, reflecting varied individual effects.

Picture-3: Mood Changes after Sessions-

The bar graph shows significant positive mood changes. By the fourth session the highest percentage of participants reported relaxation, reflecting the calming effects of music therapy. Stress and neutral moods diminished sharply, emphasizing music's role in reducing anxiety and fostering emotional balance.

Picture-4: Effectiveness Ratings across Sessions-

This bar chart outlines the effectiveness of sessions rated by participants. Minimal effect ratings decreased dramatically from 27% in the first session to just 1% by the fourth. Moderate ratings initially plateaued but declined to 15% in the final session. Positive ratings (4 and 5) surged from 43% in the first session to 83%, showcasing participants’ increased appreciation and benefit from the therapy.

Picture-5: Interest in Continuing Sessions-

Participants’ responses to continuing music therapy are depicted here. Over 95% consistently expressed interest throughout all sessions with “No” responses declining to just 2 in the fourth session. This highlights the consistent engagement and perceived value of music therapy.

Picture-6: Connection with Music after Sessions-

The pie chart reflects participants’ connection to music post-therapy. A remarkable 80% reported a stronger emotional or cognitive connection to music while only 2% felt no impact. This underscores music’s potential to deepen emotional engagement and improve mental well-being.

Overall, these visualizations collectively validate the effectiveness of music therapy in reducing stress, improving mood and enhancing participant engagement with substantial interest in its continuation and a strengthened connection to music.

Conclusion:

This clinical study underscores the profound therapeutic potential of Indian Classical Music in fostering emotional and mental well-being, particularly among youth. Through a series of four structured music therapy sessions, participants experienced significant psychological improvements, ranging from reduced stress levels to enhanced emotional resilience and a deeper connection to music. The findings affirm the capacity of Indian Classical Music to function as a culturally resonant, non-invasive healing modality.

Participants demonstrated a remarkable transition from heightened stress and emotional turbulence to a state of calmness and relaxation. By the final session, stress levels dropped to zero, with relaxation becoming the dominant mood state for 129 participants. Positive effectiveness ratings increased from 43% in the first session to an impressive 83% in the fourth, highlighting the growing appreciation for music therapy's impact. Similarly, minimal effect ratings declined from 27% to just 1%, reflecting the therapy's consistent and transformative influence.

The study also revealed a sustained interest in music therapy, with over 95% of participants expressing willingness to continue. This overwhelming acceptance emphasizes the accessibility, inclusivity and cultural relevance of Indian Classical Music as a mental health intervention. Furthermore, 80% of participants reported a strengthened emotional and cognitive connection with music, demonstrating its role in fostering emotional regulation, self-awareness and mental clarity.

Indian Classical Music's ability to harmonize the mind and body without inducing lethargy positions it as a unique therapeutic tool. While promoting relaxation, it simultaneously maintains wakeful engagement, making it ideal for addressing mental health challenges faced by youth in modern life. Beyond its clinical implications, the study reaffirms Indian Classical Music's transformative power as a bridge between cultural heritage and contemporary well-being practices.

The findings validate Indian Classical Music as an effective, supplementary clinical tool for healing. It's ability to reduce stress, foster relaxation and build emotional resilience makes it a versatile and powerful approach to mental health, particularly for young individuals navigating life's complexities. By integrating this ancient art form into therapeutic frameworks, we can address modern mental health challenges in a culturally relevant, sustainable and impactful manner.

References:

- Ahuja, N. et al. Neural correlates of listening to Indian Classical Music and its therapeutic benefits. *Asian J. Neurosci.***8**, 15–23 (2019).
- Altenmüller, E. & Furuya, S. Pain in musicians: a clinical and anthropological perspective. *Music Med.***5**, 173–184 (2013).
- Altenmüller, E. & Schlaug, G. Music, brain and health: exploring biological foundations of music's health effects. *Int. J. Music. Educ.***29**, 211–218 (2011).
- Basu, S., Nandi, A. & Chatterjee, T. Indian Classical Music as an adjunct to mindfulness practice: clinical implications. *Front. Psychol.***9**, 2051 (2018).
- Bernardi, L. et al. Cardiovascular, cerebrovascular and respiratory changes induced by different types of music in musicians and non-musicians: the importance of silence. *Heart***92**, 445–452 (2006).
- Bharucha, J. J. & Mehta, J. The effect of Indian Classical Music on memory enhancement: a clinical approach. *Music Percept.***31**, 263–269 (2014).
- Brattico, E. & Pearce, M. The neuroaesthetics of music. *Psychol. Aesthet. Creat. Arts***7**, 48–61 (2013).
- Chanda, M. L. & Levitin, D. J. The neurochemistry of music. *Trends Cogn. Sci.***17**, 179–193 (2013).
- Deshmukh, A. B. et al. Stress reduction through Indian Classical Music: a pilot study. *Int. J. Stress Manag.***12**, 342–355 (2020).
- Fritz, T. et al. Universal recognition of three basic emotions in music. *Curr. Biol.***19**, 573–576 (2009).
- Goyal, M. et al. Meditation programs for psychological stress and well-being: a systematic review and meta-analysis. *JAMA Intern. Med.***174**, 357–368 (2014).
- Juslin, P. N. & Sloboda, J. A. *Handbook of Music and Emotion: Theory, Research, Applications*. Oxford University Press, Oxford (2010).
- Knight, W. E. & Rickard, N. S. Relaxing music prevents stress-induced increases in subjective anxiety, systolic blood pressure and heart rate in healthy males and females. *J. Music Ther.***38**, 254–272 (2001).
- Koelsch, S. Brain correlates of music-evoked emotions. *Nat. Rev. Neurosci.***11**, 1–11 (2010).
- Koelsch, S. Toward a neural basis of music-evoked emotions. *Trends Cogn. Sci.***14**, 131–137 (2010).
- Krishnakumar, P. & Mehra, P. Healing sounds: understanding the therapeutic effects of Indian Classical Music. *Asian J. Psychol.***12**, 45–51 (2016).
- Krumhansl, C. L. & Zupnick, J. A. Cascading reminiscence bumps in popular music. *Psychol. Sci.***24**, 2057–2068 (2013).

- Levitin, D. J. & Tirovolas, A. K. Current advances in the cognitive neuroscience of music. *Ann. N. Y. Acad. Sci.* **1156**, 211–231 (2009).
- Lingham, J. & Theorell, T. Self-selected "relaxing" music modulates stress-induced changes in salivary cortisol secretion. *Psychoneuroendocrinology* **34**, 264–272 (2009).
- MacDonald, R. A. R., Kreutz, G. & Mitchell, L. *Music, Health and Wellbeing*. Oxford University Press, Oxford (2012).
- Menon, V. & Levitin, D. J. The rewards of music listening: response and physiological connectivity of the mesolimbic system. *Neuroimage* **28**, 175–184 (2005).
- Patel, A. D. *Music, Language and the Brain*. Oxford University Press, New York (2008).
- Sarkar, R. et al. Indian Classical Music therapy: a pilot study exploring its impact on stress. *Music Med.* **6**, 180–186 (2014).
- Sarkar, S. & Das, R. Music therapy as a complementary treatment for mental health. *Indian J. Psychiatry* **59**, 117–121 (2017).
- Shankar, R. *Ragas as Healing Forces: The Art and Science of Indian Music*. Sangeet Natak Akademi, New Delhi (2006).
- Singh, R. K. et al. Exploring the relationship between ragas and emotions: a neuroaesthetic perspective. *J. Indian Musicol.* **6**, 87–94 (2017).
- Tervaniemi, M. & Hugdahl, K. Lateralization of auditory-cortex functions. *Brain Res. Rev.* **43**, 231–246 (2003).
- Thaut, M. H. *Rhythm, Music and the Brain: Scientific Foundations and Clinical Applications*. Routledge, New York (2005).
- Trainor, L. J. The neurobiology of musical expectations. *Nat. Neurosci.* **7**, 974–978 (2004).
- Zatorre, R. J. & Salimpoor, V. N. From perception to pleasure: music and its neural substrates. *Proc. Natl. Acad. Sci. U.S.A.* **110**, 10430–10437 (2013).